

## bizhub pro // 1100

**Production Printing System** 



Giving Shape to Ideas

## Enduring beauty and strength. At the apex of black & white printing on demand.

The compact bizhub PRO 1100 is built for productivity, complemented by beauty and strength, essential in the on-demand printing world. It embodies the ideals of design, image quality, and convenience, boosting business performance.



# Our approaches to resource **preservation** and **protection**

#### **Use of recycled materials**

Konica Minolta has developed recycled PC/PET materials

with its proprietary chemical processing technologies. Our active use of recycled materials contributes to effective preservation of resources and promotes protection of the environment.




#### **TEC** standard exceeded

The bizhub PRO 1100 is designed to consume about 40% less energy than ENERGY STAR's Typical Electricity Consumption (ver 2.0) value. The lower TEC value greatly reduces CO<sub>2</sub> emissions.

#### High image quality and eco-friendly toner

Konica Minolta's Simitri HD toner technology uses plant-based materials as a toner element. The toner powder fuses at low temperatures, reducing energy consumption. The environmental impact is taken into account — from toner production and customer use to disposal.



### Compliance with global environmental standards

bizhub PRO 1100 meets a variety of domestic and foreign environmental standards, including the international ENERGY STAR program and Japan's Act on Promoting Green Purchasing. We support the environment with a broad perspective.



#### **EPEAT Gold Rating**

We have been awarded "Gold" certification by EPEAT (Electronic Products Environmental Assessment Tools), a US-based evaluation system for market development and sales promotion of eco-friendly products. Gold-rated products must satisfy 75% or more of EPEAT's criteria.



# Authentication and **Collaboration**functions for the future

#### **User authentication**

Besides the main unit's authentication function, PageScope Authentication Manager\*1 unifies management of user information with an external server such as Active Directory. Security also is strengthened without loss of work efficiency by the non-contact IC card authentication system. Choose the work style suited to the size and environment as the system is linked with employee room entry.

- \*1 Optional
- \* Optional IC card authentication unit AU-201S is required.

#### Office equipment connectivity

bizhub PRO 1100's compatibility with bizhub Connector assures office equipment connectivity. From the bizhub PRO 1100's control panel, register applications on the system to connect directly to cloud services\*2 and intra-organisation Sharepoint 2007/2010 services. OpenAPI ver4.1 enables authentication, billing, pull printing, and other solution applications.

\*2 Google Drive, Gmail, Evernote





## Productivity and operability support a variety of demands, from in-house printing to professional printing services

bizhub PRO 1100 possesses the reliability and high precision required of on-demand printing systems. At the same time, its refined operability increases productivity in a variety of applications, from professional use (printing companies) to a centralised reprographics department.



## Use as a high-speed system for CRD

Produce high volumes of office documents with confidence.

Digitise documents with the bizhub PRO 1100's high-speed scanner.

Compatibility with bizhub office multi-function products as well as collaboration with applications have been enhanced.

The security essential to an office environment, plus environmental-friendliness, are given full consideration.



## Smart and compact high-performance system for professional printing

bizhub PRO 1100 offers the robustness and reliability that professional users demand. In addition, configuration flexibility satisfies a variety of work and business requirements.

Given the high image quality expected from the bizhub PRO line, the bizhub PRO 1100 is the ideal monochrome system for the printing industry.

And it's easy enough for anyone to operate.

bizhub PRO



## Reliable and easy to control over the long life ahead

#### 100 ppm output

High-impact printing at 100 ppm\*<sup>1</sup>, including booklets and impositions. This enables finishing\*<sup>2</sup> functions to increase productivity further.

\*1 Using 40–216 gsm paper (restrictions apply depending on paper weight and printing environment) with A4 long-edge feed.





### Large capacity with a maximum 9,000 sheets

Print a maximum of 9,000 sheets by combining the main unit's standard 3,000-sheet capacity with the 3-tray PF-709<sup>\*3</sup> (6,000 sheets). Other trays supply paper during operation to prevent interruption of production.



### Sturdy design supports high-volume production

bizhub PRO 1100 has adopted the same kind of sturdy and

durable body found in printing systems for professional use.
Count on stable reliability during continuous operation.

Consumables, too, are designed for a long life, reducing the frequency of replacement.



#### **High-speed duplex colour scanner**

Scan A4 colour documents at the rate of 90 opm\*<sup>1</sup>. For double-sided originals, two independent scanner sensors make high-speed 180 opm\*<sup>1</sup> scanning possible. Network scanner functions enable speedy digitisation of documents.

\*1 For 300 dpi originals





# Advancing configurations to the desired level

#### **Direct printing with Hot Folders**

Print PDF/TIFF files without launching applications. Simply drag and drop into a Hot Folder. Prepare multiple Hot Folders for quick printing without having to change settings each time.

\* PageScope Direct Print (included) must be installed by the client (Microsoft Windows OS only).



#### Job ticket editing

Edit job ticket details, then view the output image. A sample can be printed. Jobs saved in BOX can also be edited. Complex and delicate print jobs are made more efficient thanks to flexible job management.



#### **Color Centro**

Color Centro is standard on the bizhub PRO 1100. The same software is used on colour production systems for colour management. Flexibly adjust image quality on the PC by adjusting separate tone curves for images and text/graphics.



Tone curve adjustment Fine-tune to preferred contrast and brightness.

#### **Job Centro**

Manage options from the PC. The easy-to-use interface is compatible with the bizhub PRO 1100's control panel and printer driver, making operation more efficient. Color Centro can also be launched from Job Centro for seamless management.



# Evolved **imaging** technology that invites **repeats**




#### Acclaimed 1,200 dpi resolution

High-resolution printing is attributed to a real output of 1,200 dpi.
Thin lines for tables, graphs, and multi-gradient images are vividly reproduced, contributing to the creation of persuasive documents.




bizhub PRO 1100's front-to-back adjustment function automatically adjusts image position by using the original platen surface. The front-to-back side position and discrepancies in magnification are easily corrected, vastly improving the efficiency of registration adjustment.



#### Rich expressions of colour space

When colour documents are printed, the input image is converted first into CIE colour space and then into the main unit's colour space. The main unit processes rich gradients while maintaining high productivity.





#### Screen versatility

Three types of FM screen (2 resolutions × 3 patterns) are available based on the content of the document. In addition, three new FM screens leveraging high resolution are available. Print quality of even greater resolution can be produced by using the optimal screen for the output content.

### Product features that will

## grow a business

#### **Extensive paper compatibility**

Up to  $324 \times 463$ mm paper size is supported which crop marks can be printed on A3 documents. Given the standard support for paper weights (40 - 350 gsm or 50 - 300gsm for duplex printing), a wide range of paper weights can be used. Diverse paper types are also supported, from fine paper to tab stock. Postcard printing is possible by installing PF-709.\*1

#### Examples of output



and folding are supported by the options.

\*2 When optional SD-510 is installed.



Saddle-stitched booklet printing \*2 is supported, making the bizhub PRO 1100 suitable for high-volume printing.



Compatible with thin paper from 40 gsm. Variable printing is supported.



Pre-printing on imposition based on thick stock such as, "Kent paper (art-practice paper)."



Besides thick stock, traditional stock for certificates can also be used for printing.



## Flexibility that feeds optimisation

#### Multi Bypass Tray and output tray for convenient system configuration


The printing system can be customised with flexible options, including bypass Tray MB-507, which eases the use of different paper for small-lot jobs, and output tray OT-507 for printing environments that do not require a finisher.









#### ► Paper handling





\*1 Paper capacity based on 80gsm paper \*2 40 to 300gsm for upper and lower trays

#### ▶ Finishing









#### Main Unit

Type		Console
Resolution	Scan	600 × 600 dpi
	Print	1,200 × 1,200 dpi
Gradation	1	256
Original Type		Sheets, Books, Objects
Max. Original Size		A3 (11"×17")
Memory Capacity	DIMM	8 GB
	HDD	1TB
Output Size		SRA3, A3 to B5, A5, B55, Tab paper,
(5: Short edge feed) 🖵		Custom 182 x 139 mm (Using small size guides), to 324 x 463 mm.
Image Loss		Max. 3 mm or less for top edge, Max. 2 mm or less for bottom edge,
		Max. 2.0 mm or less for right/left edges
Warm-Up Time		390 sec. or less
First Copy Out Time*		3.4 sec. or less
Copy / Print Speed (A4)		100 ppm
Copy Magnification	Fixed Same Magnification	1:1±0.5% or less
	Scaling Up	1:1.154/1.224/1.414/2.000
	Scaling Down	1:0:866/0:816/0:707/0:500
	Preset	3 types
	Zoom	25 to 400% (in 0,1% increments)
Paper Capacity (80gsm)		Standard: 1,500 slyeets × 2
Paper Weight	Standard	40 to 300 gsm (Limitations to paper types apply)
	Option	40 to 350 gam (Only available for middle tray of PF-709)
Multiple Copy		1 to 9,999 sheets
Auto Dupliex		Non-Stack
(5: Short edge feed) 🗔		SRA3, A3 to B5, A5, B55
Power Requirements		220 to 240 V/15 A
Max. Power Consumption		3.6 kW or less
(Main unit + PF-709	+ FS-532)	
Dimensions (W) × (D) × (H)		990 × 910 × 1,160 mm (39° × 35-3/4" × 45-3/4") (Mein unit + ADF)
		1,211 × 910 × 1,454 mm (47-3/4" × 35-3/4" × 57-1/4") (including operation panel)
Weight		340 kg (749-1/2 lb) (Main unit)
Space Requirements [W] × [D]		2.634 × 2.060 mm (103-3/4" × 81-1/4") < Main unit + FS-532 + LU-411 >

<sup>\*</sup>T All long edge feed full size/using the first trzy/scanning from the original glass surface.

### bizhub pro 1100



Model shown is 1100 with options.



\*1 Optional

For more information please visit the bizhub Web site at

#### http://www.biz.konicaminolta.com/production/1100/index.html

Product appearance, configuration and/or specifications are subject to change without notice.

This product is not available for some countries or regions.

KONICA MINOLTA, the KONICA MINOLTA logo and symbol mark, "Giving Shape to Ideas", bizhub, bizhub PRO, bizhub PRESS, Simitri, Simitri HD, Simitri with Blomass, and Konica Minolta Optimized Print Services and their respective logos are registered trademarks or trademarks of KONICA MINOLTA, INC. All other brands and product names are registered trademarks or trademarks of their respective companies or organisations.



perdana

#### PT PERDANA JATIPUTRA

Jl. Bungur Besar 89, Jakarta 10620, Indonesia Sales: 021-424 8809 (Hunting), Service 021- 4203868 (Hunting). Fax:0214241581 / 420 1239 E-mail: marketing@perdana.biz www.perdana.biz



#### ISO15408 (EAL Level 3) Certification (Currently under application)

These products comply with the security requirements of ISO15408 (EAL Level 3).

\* The ISO 15408 certification applies only to IT security capabilities. This certification is NOT a product quarantee



From consulting, system design, to operations, Konica Minolta offers total support to optimise your office output environment.

http://www.biz.konicaminolta.com/services/ops



Addess: Jl. Bungur Besar No. 89, Kemayoran, Jakarta 10620 Phone: (021) 424 8809 | E-mail: marketing@perdana.biz 👔 🏿 : @konicaminolta.indonesia | Website: www.perdana.biz



